

LIST OF REFERENCES CITED BY APPLICANT
(Use several sheets if necessary)

ATTY DOCKET NO.

9301-237-999

APPLICATION NO

10/567,282, national
stage filing of
PCT/US04/17754

APPLICANT

Schadt et al.

FILING DATE

June 4, 2004

GROUP

~~To be assigned~~

U.S. PATENT DOCUMENTS

*EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
	A01	6,368,806	04/09/2002	Openshaw et al.			
	A02	6,324,479	11/27/2001	Friend et al.			
	A03	6,271,002	08/07/2001	Linsley et al.			
	A04	6,218,122	04/17/2001	Friend et al.			
	A05	6,165,709	12/26/2000	Friend et al.			
	A06	6,132,997	10/17/2000	Shannon			
	A07	6,132,969	10/17/2000	Stoughton et al.			
	A08	5,965,352	10/12/1900	Stoughton et al.			
	A09	5,569,588	10/29/1996	Ashby et al.			
	A10	5,578,832	11/26/1996	Trulson et al.			
	A13	5,510,270	04/23/1996	Fodor et al.			
	A12	5,324,631	06/28/1994	Helentjaris et al.			
	A13	5,075,217	12/24/1991	Weber			
	A14	11/361,871		Schadt et al.			02/23/2006
	A19	10/558,928		Schadt et al.			11/30/2005
	A16	10/540,405		Schadt et al.			12/24/2003
	A17	US 2006 0122816 A1	06/08/2006	Schadt et al.			05/20/2003
	A16	US 2006 0111849 A1	05/25/2006	Schadt et al.			02/12/2004
	A19	US 2003 0224394 A1	12/04/2003	Schadt et al.			06/08/2006
	A20	US 2003 0180761 A1	09/25/2003	Castonguay et al.			05/14/2003

FOREIGN PATENT DOCUMENTS

		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION	
							YES	NO
	B01	PCT/US05/15419	05/02/2005	International Search Report				
	B02	PCT/US04/16917	05/28/2004	International Search Report				
	B03	PCT/US03/03100	02/03/2003	International Search Report				
	B04	PCT/US03/023976	08/01/2003	International Search Report				
	B05	WO 2004013727	02/12/2004	PCT WIPO				
	B06	WO 2003100557	12/04/2003	PCT WIPO				
	B07	PCT/US03/41613	12/24/2003	International Search Report				
	B08	WO 2003065282	08/07/2003	PCT WIPO				
	B09	PCT/US03/15768	05/20/2003	International Search Report				
	B10	WO 199913107	03/18/1999	PCT WIPO				
	B11	WO 2005 017652	02/24/2005	PCT WIPO				
	B12	WO 2004 061616	07/22/2004	PCT WIPO				
	B13	WO 2004 109447	12/16/2004	PCT WIPO				
	B14	WO 2005 107412	11/17/2005	WIPO				

LIST OF REFERENCES CITED BY APPLICANT

(Use several sheets if necessary)

ATTY DOCKET NO.

9301-237-999

APPLICATION NO

10/567,282, national
stage filing of
PCT/US04/17754

APPLICANT

Schadt et al.

FILING DATE

June 4, 2004

GROUP

To be assigned

	C01	Aitman et al., 1999, "Identification of Cd36 (Fat) as an insulin-resistance gene causing defective fatty acid and glucose metabolism in hypertensive rats," <i>Nature Genetics</i> 21: 76-83.
	C02	Akagi et al., 1996, "Microsatellite DNA markers for rice chromosomes," <i>Theor. Appl. Genet.</i> 93:1071-1077
	C03	Allison et al., 1998, "Multiple phenotype modeling in gene-mapping studies of quantitative traits: power advantages," <i>Am. J. Hum. Genet.</i> 63:1190-1201
	C04	Amos et al., 1990, "A multivariate method for detecting genetic linkage, with application to a pedigree with an adverse lipoprotein phenotype," <i>Am. J. Hum. Genet.</i> 47:247-254
	C05	Barbosa et al., 1976, "The genetic heterogeneity of diabetes : histocompatibility antigens (HLA) in families with maturity-onset type diabetes of the young (MODY) and juvenile, insulin-dependent diabetes (JID) [proceedings]," <i>Diabete. Metab.</i> 2:160
	C06	Blanchard et al., 1996, "Sequence to array: Probing the genome's secrets," <i>Nature Biotechnology</i> 14:1649
	C07	Blanchard et al., 1996, "High-density oligonucleotide arrays," <i>Biosensors & Bioelectronics</i> 11: 687-690
	C08	Bligh et al., 1995, "A microsatellite sequence closely linked to the Waxy gene of <i>Oryza sativa</i> ," <i>Euphytica</i> 86:83-85
	C09	Bochner et al., 2001, "Phenotype microarrays for high-throughput phenotypic testing and assay of gene function," <i>Genome Res.</i> 11:1246-1255
	C10	Börjeson, 1976, "The aetiology of obesity in children," <i>Acta. Paediatr. Scand.</i> 65:279-287
	C11	Bray, 1989, "1989 McCollum Award Lecture. Genetic and hypothalamic mechanisms for obesity-finding the needle in the haystack," <i>Am. J. Clin. Nutr.</i> 50:891-902
	C12	Bray, 1992, "Genetic, hypothalamic and endocrine features of clinical and experimental obesity," <i>Progress in Brain Research</i> 93:333-341
	C13	Brem et al., 2002, "Genetic Dissection of Transcriptional Regulation in Budding Yeast," <i>Science</i> 296:752-755
	C14	Brown et al., 2000, "Knowledge-based analysis of microarray gene expression data by using support vector machines," <i>Proc. Natl. Acad. Sci. USA</i> 97:262-267
	C15	Cheung et al., 2002, "The genetics of variation in gene expression," <i>Nature Genetics Supplement</i> 32: 522-525
	C16	Cheung et al., 2003, "Natural variation in human gene expression assessed in lymphoblastoid cells," <i>Nature Genetics</i> 33: 422-425
	C17	Chirgwin et al., 1979, "Isolation of biologically active ribonucleic acid from sources enriched in ribonuclease," <i>Biochemistry</i> 18:5294-5299
	C18	Cohen et al., 2000, "A computational analysis of whole-genome expression data reveals chromosomal domains of gene expression," <i>Nature Genetics</i> 26:183-186
	C19	Corder et al., 1993, "Gene dose of apolipoprotein E type 4 allele and the risk of Alzheimer's disease in late onset families," <i>Science</i> 261:921-923
	C20	Cox et al., 1999, "Loci on chromosomes 2 (NIDDM1) and 15 interact to increase susceptibility to diabetes in Mexican Americans," <i>Nature Genetics</i> 21:213-215
	C21	DeRisi et al., 1996, "Use of a cDNA microarray to analyse gene expression patterns in human cancer," <i>Nature Genetics</i> 14:457-460
	C22	Doerge, 2002, "Mapping and analysis of quantitative trait loci in experimental populations," <i>Nature Reviews</i> 3:43-52
	C23	Draghici, 2003, "Data Analysis Tools for DNA Microarrays," Chapman & Hall, p. 1-478
	C24	Duda et al., 2001, <i>Pattern Classification</i> , John Wiley & Sons, New York, NY, p. 521-530
	C25	Duda et al., 2001, <i>Pattern Classification</i> , John Wiley & Sons, New York, NY, p. 550-557
	C26	Easton et al., 1993, "Inherited susceptibility to breast cancer," <i>Cancer Surv.</i> 18:95-113
	C27	Eaves et al., 2002, "Combining Mouse Congenic Strains and Microarray Gene Expression Analyses to Study a Complex Trait: The NOD Model of Type 1 Diabetes," <i>Genome Research</i> 12: 232-243.
	C28	Egholm et al., 1993, "PNA hybridizes to complementary oligonucleotides obeying the Watson-Crick hydrogen-bonding rules," <i>Nature</i> 365:566-568
	C29	Elowitz et al., 2002, "Stochastic Gene Expression in a Single Cell," <i>Science</i> 297:1183-1186
	C30	Falk et al., 1987, "Haplotype relative risks: an easy reliable way to construct a proper control sample for risk calculations," <i>Ann. Hum. Genet.</i> 51 (Pt 3):227-233
	C31	Ferguson et al., 1996, "A fiber-optic DNA biosensor microarray for the analysis of gene expression," <i>Nature Biotechnology</i> 14:1681-1684

LIST OF REFERENCES CITED BY APPLICANT (Use several sheets if necessary)			ATTY DOCKET NO.	APPLICATION NO
			9301-237-999	10/567,282, national stage filing of PCT/US04/17754
			APPLICANT	
			Schadt et al.	
			FILING DATE	GROUP
			June 4, 2004	To be assigned
	C32	Fiehn et al., 2000, "Metabolite profiling for plant functional genomics," Nature Biotech. 18:1157-1161.		
	C33	Fishel et al., 1993, "The human mutator gene homolog MSH2 and its association with hereditary nonpolyposis colon cancer," Cell 75:1027-1038		
	C34	Fodor et al., 1991, "Light-directed, spatially addressable parallel chemical synthesis," Science 251:767-773		
	C35	Ford et al., 1994, "Risks of cancer in BRCA1-mutation carriers. Breast Cancer Linkage Consortium," Lancet 343:692-695		
	C36	Friedman et al., 1991, "Molecular mapping of obesity genes," Mammalian Genome 1:130-144		
	C37	Friedman et al., 1992, "Tackling a weighty problem," Cell 69:217-220		
	C38	Froehler et al., 1986, "Synthesis of DNA via deoxynucleoside H-phosphonate intermediates," Nucleic Acids Research 14:5399-5407		
	C39	Fulker et al., 1999, "Combined Linkage and Association Sib-Pair Analysis for Quantitative Traits," Am. J. Hum. Genet. 64:259-267		
	C40	Fullerton et al., 2000, "Apolipoprotein E variation at the sequence haplotype level: implications for the origin and maintenance of a major human polymorphism," Am. J. Hum. Genet. 67:881-900		
	C41	Gaasterland et al., 2000, "Making the most of microarray data," Nature Genetics 24:204-206		
	C42	Goffeau et al., 1996, "Life with 6000 genes," Science 274:546-567		
	C43	Grunau et al., 2001, "MethDB-a public database for DNA methylation data," Nucleic Acids Research, 29: 270-274		
	C44	Grundy et al., 1990, "Metabolic and health complications of obesity," Dis. Mon. 36:641-731		
	C45	Haley et al., 1992, "A simple regression method for mapping quantitative trait loci in line crosses using flanking markers," The Genetical Society of Great Britain 69:315-324		
	C46	Hayashi et al., 1994, "Detection of additive and dominance effects of QTLs in interval mapping of F2 RFLP data," Theor. Appl. Genet. 87:1021-1027		
	C47	Helentjaris et al., 1985, "Restriction fragment polymorphisms as probes for plant diversity and their development as tools for applied plant breeding," Plant Molecular Biology 5:109-118		
	C46	Helm et al., 1991, "Classification and identification of bacteria by Fourier-transform infrared spectroscopy," Journal of General Microbiology 137: 69-79		
	C49	Hu et al., 1991, "Identification of broccoli and cauliflower cultivars with RPD markers," Plant Cell Reports 10:505-511		
	C50	Hughes et al., 2000, "Functional Discovery via a Compendium of Expression Profiles," Cell 102:109-126		
	C51	International Human Genome Consortium, 2001, "Initial sequencing and analysis of the human genome," Nature 409:860-921		
	C52	James et al., 1998, "Non-alcoholic steatohepatitis (NASH): a disease of emerging identity and importance," Journal of Hepatology 29: 495-501		
	C54	Jansen, 1993, "Interval mapping of multiple quantitative trait loci," Genetics 135:205-211		
	C54	Jansen, 1994, "Controlling the type I and type II errors in mapping quantitative trait loci," Genetics 138:871-881		
	C55	Jansen et al., 2001, "Genetical genomics: the added value from segregation," TRENDS in Genetics 17:388-391		
	C56	Jarvis et al., 1973, "Clustering using a similarity measure based on shared near neighbors," IEEE Transactions on computers C-22:1025-1034		
	C57	Jaspers et al., 1982, "Genetic heterogeneity in ataxia-telangiectasia studied by cell fusion," Proc. Natl. Acad. 79: 2641-2644		
	C58	Jiang et al., 1995, "Multiple trait analysis of genetic mapping for quantitative trait loci," Genetics 140:1111-1127		
	C59	Jin et al., 2001, "The contributions of sex, genotype and age to transcriptional variance in <i>Drosophila melanogaster</i> ," Nature Genetics 29: 389-395		
	C60	Kajiwara et al., 1994, "Digenic Retinitis Pigmentosa Due to Mutations at the Unlinked Peripherin/RDS and ROM1 Loci," Science 264: 1604-1608		
	C61	Karp et al., 2000, "Identification of complement factor 5 as a susceptibility locus for experimental allergic asthma," Nature Immunology, Vol. 1, No. 3: 221-226.		
	C62	Kearsey et al., 1994, "QTL analysis: a simple 'marker-regression' approach," Theor. Appl. Genet. 89:698-702		
	C63	Knapp et al., 1993, "The haplotype-relative-risk (HRR) method for analysis of association in nuclear families," Am. J. Hum. Genet. 52:1085-1093		

LIST OF REFERENCES CITED BY APPLICANT (Use several sheets if necessary)			ATTY DOCKET NO.	APPLICATION NO
			9301-237-999	10/567,282, national stage filing of PCT/US04/17754
			APPLICANT	
			Schadt et al.	
			FILING DATE	GROUP
			June 4, 2004	To be assigned
	C64	Knoll et al., 1993, "Cytogenetic and Molecular Studies in the Prader-Willi and Angelman Syndromes: An Overview," Amer. Journal of Medical Genetics 46: 2-6		
	C65	Kruglyak et al., 1996, "Parametric and nonparametric linkage analysis: a unified multipoint approach," Am. J. Hum. Genet. 58:1347-1363		
	C66	Kruglyak et al., 1998, "Faster multipoint linkage analysis using Fourier transforms," J. Comput. Biol. 5:1-7		
	C67	Kruglyak et al., 2001, "Variation is the spice of life," Nature Genetics 27:234-236		
	C68	Lan et al., 2006, "Combined Expression Trait Correlations and Expression Quantitative Trait Locus Mapping, January 2006, Plos Genetics 2:51-61.		
	C69	Lance et al., 1967, "A general theory of classificatory sorting strategies," Computer Journal 9:373-380		
	C70	Lander et al., 1989, "Mapping Mendelian factors underlying quantitative traits using RFLP linkage maps," Genetics 121:185-199		
	C71	Lander et al., 1994, "Genetic dissection of complex traits," Science 265:2037-2048		
	C72	Lander, 1996, "The new genomics: Global views of biology," Science 274:536-539		
	C73	Levsky et al., 2002, "Single-Cell gene expression profiling," Science 297:836-840		
	C74	Lockhart et al., 1996, "Expression monitoring by hybridization to high-density oligonucleotide arrays," Nature Biotechnology 14:1675-1680		
	C75	Lynch et al., 1998, "Genetics and Analysis of Quantitative Traits," Sinauer Associates, Inc.: Chapters 15 and 16 pp: 431-532		
	C76	Machleder et al., 1997, "Complex Genetic Control of HDL Levels in Mice in Response to an Atherogenic Diet," J. Clin. Invest. 99:1406-1419		
	C77	Manley et al., 1999, "Overview of QTL mapping software and introduction to Map Manager QT," Mammalian Genome 10:327-334		
	C78	Martinez et al., 1994, "Missing markets when estimating quantitative trait loci using regression mapping," The Genetical Society of Great Britain 73:198-206		
	C79	Maskos et al., 1992, "Oligonucleotide hybridisations on glass supports: a novel linker for oligonucleotide synthesis and hybridisation properties of oligonucleotides synthesised in situ," Nucleic Acids Research 20: 1679-1684		
	C80	McBride et al., 1983, "An Investigation of Several Deoxynucleoside Phosphoramidites Useful for Synthesizing Deoxyoligonucleotides," Tetrahedron Letters 24: 245-248		
	C81	Moll et al., 1991, "The Genetic and Environmental Sources of Body Mass Index Variability: Te Muscatine Ponderosity Family Study," Am. J. Hum. Genet. 49: 1243-1255		
	C82	Mount, 2001, "Genome Analysis," Bioninformatics Sequence and Genome Analysis Chapter 10, p. 479-531		
	C83	Naumann et al., 1991, "Microbiological characterizations by FT-IR spectroscopy," Nature 351: 81-82		
	C84	Nguyen et al., 1995, "Differential gene expression in the murine thymus assayed by quantitative hybridization of arrayed cDNA clones," Genomics 29:207-216		
	C80	Nishina et al., 1994, "Atherosclerosis in genetically obese mice: the mutants obese, diabetes, fat, tubby, and lethal yellow," Metabolism 43:554-558		
	C86	Olson et al., 1999, "Tutorial in biostatistics genetic mapping of complex traits," Statistics in Medicine 18:2961-2981		
	C84	Patil et al., 2001, "Blocks of limited haplotype diversity revealed by high-resolution scanning of human chromosome 21," Science 294:1719-1723		
	C84	Pericak-Vance et al., 1991, "Linkage Studies in Familial Alzheimer Disease: Evidence for Chromosome 19 Linkage," Am. J. Hum. Genet. 48: 1034-1050		
	C89	Prashar et al., 1996, "Analysis of differential gene expression by display of 3' end restriction fragments of cDNAs," Proc. Natl. Acad. Sci. USA 93:659-663		
	C90	Reeders et al., 1987, "A study of genetic linkage heterogeneity in adult polycystic kidney disease," Hum. Genet. 76:348-351		
	C91	Roberts et al., 2000, "Signaling and Circuitry of Multiple MAPK Pathways Revealed by a Matrix of Global Gene Expression Profiles," Science 287: 873-880		
	C92	Sagliocco et al., 1996, "Identification of Proteins of the Yeast Protein Map using Genetically Manipulated Strains and Peptide-Mass Fingerprinting," Yeast 12: 1519-1533		
	C93	Sandberg et al., 2000, "Regional and strain-specific gene expression mapping in the adult mouse brain," PNAS 97: 11038-11043		
	C94	Schadt et al., 2003, "Genetics of gene expression surveyed in maize, mouse and man," Nature 422:297-302		

LIST OF REFERENCES CITED BY APPLICANT
(Use several sheets if necessary)

ATTY DOCKET NO.

9301-237-999

APPLICATION NO

10/567,282, national
stage filing of
PCT/US04/17754

APPLICANT

Schadt et al.

FILING DATE

June 4, 2004

GROUP

To be assigned

C95	Schadt et al., 2003, "A new paradigm for drug discovery: integrating clinical genetic, genomic and molecular phenotype data to identify drug targets," Biochemical Society 31:437-443
C96	Schena et al., 1996, "Parallel human genome analysis; microarray-based expression of 1000 genes," Proc. Natl. Acad. Sci. USA 93:10614-10619
C97	Schena et al., 1995, "Quantitative Monitoring of Gene Expression Patterns with a Complementary DNA Microarray," Science 270: 467-470
C98	Shalon et al., 1996, "A DNA microarray system for analyzing complex DNA samples using two-color fluorescent probe hybridization," Genome Research 6:639-645
C99	Spielman et al., 1989, "Genetic Analysis of IDDM: Summary of GAW5 IDDM Results," Genetic Analysis of complex Traits, Part I: 43-58
C100	Steinmetz et al., 2002, "Dissecting the architecture of a quantitative trait locus in yeast," Nature 416: 326-330
C101	St. George-Hyslop et al., 1990, "Genetic linkage studies suggest that Alzheimer's disease is not a single homogeneous disorder. FAD Collaborative Study Group," Nature 347:194-197
C102	Struss et al., 1998, "The use of microsatellite markers for detection of genetic diversity in barley populations," Theor. Appl. Genet. 97:308-315
C103	Stover, et al., 2001, "Characterization of Gene Expression Profiles In Peripheral Blood Mononuclear Cells and Bone Marrow of Normal Human Volunteers," FASEB Journal, 534.9: A696
C104	Stunkard et al., 1990, "The Body-Mass Index of Twins Who Have Been Reared Apart," New England Journal of Medicine 322: 1483-1487
C105	Tamayo et al., 1999, "Interpreting patterns of gene expression with self-organizing maps: Methods and application to hematopoietic differentiation," Proc. Natl. Acad. Sci. USA 96:2907-2912
C106	Terwilliger et al., 1992, "A haplotype-based 'haplotype relative risk' approach to detecting allelic associations," Hum. Hered. 42:337-346
C107	Twine et al., 2003, "Disease-associated Expression Profiles in Peripheral Blood Mononuclear Cells from Patients with Advanced Renal Cell Carcinoma," Cancer Research 63: 6069-6075
C108	Velculescu et al., 1995, "Serial Analysis of Gene Expression," Science 270: 484-487
C109	Venter et al., 2001, "The Sequence of the Human Genome," Science 291: 1304-1351
C110	Weisblum et al., 1972, "Genetic Heterogeneity of Xeroderma Pigmentosum demonstrated by Somatic Cell Hybridization," Nature New Biology 238: 80-83
C111	Welsh et al., 1990, "Fingerprinting genomes using PCR with arbitrary primers," Nucleic Acids Research 18: 7213-7218
C112	Williams et al., 1999, "Joint multipoint linkage analysis of multivariate qualitative and quantitative traits," Am. J. Hum. Genet. 6:1134-1147
C113	Wu et al., 1993, "Abundance, polymorphism and genetic mapping of microsatellites in rice," Mol. Gen. Genet. 241:225-235
C114	Younossi et al., 2002, "Perspectives in Clinical Hepatology: Nonalcoholic Fatty Liver Disease: An Agenda for Clinical Research," Hepatology: 746-752
C115	Zeng, 1993, "Theoretical basis for separation of multiple linked gene effects in mapping quantitative trait loci," Proc. Natl. Acad. Sci. USA 90:10972-10976
C116	Zeng, 1994, "Precision mapping of quantitative trait loci," Genetics 136:1457-1468

EXAMINER /Carolyn Smith/

DATE CONSIDERED

04/06/2010

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609, Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.